

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	16	"6,789,166".pn. or "20040107325" or "6,735,676".pn. or "20040088507" or "20040044803" or "6,675,260".pn. or "20030229764" or "20030221077" or "6,614,984".pn. or "6,571,362".pn. or "6,425,051".pn. or "20010052037" or "6,041,386".pn. or "5,920,893".pn. or "5,717,956".pn. or "5887199".pn.	US- PGPUB ; USPAT; EPO; JPO; IBM_TDB
2	BRS	L2	1	"20030229764"	US- PGPUB ; USPAT; EPO; JPO; IBM_TDB
3	BRS	L3	1	2 and (read\$4)	US- PGPUB ; USPAT; EPO; JPO; IBM_TDB

	Time Stamp
1	2005/12/13 12:49
2	2005/12/13 11:23
3	2005/12/13 11:23

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	83469	((storage or memory or disk or disc) adj5 control\$5).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
5	BRS	L5	3186	711/111,114,115.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
6	BRS	L8	45046	(read\$4 or writ\$4) adj5 request\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
7	BRS	L9	3470	((storage or memory or disk or disc) with control\$5 with (read\$4 or writ\$4) with request\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB

	Time Stamp
4	2005/12/13 12:55
5	2005/12/13 12:54
6	2005/12/13 12:55
7	2005/12/13 12:57

	Type	L #	Hits	Search Text	DBs
8	BRS	L10	1730	((storage or memory or disk or disc) with control\$5 with (read\$4 or writ\$4) with request\$4 with (trasmit\$5 or send\$4 or receiv\$5 or determin\$4)).clm.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB
9	BRS	L11	171	10 and 5	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB
10	BRS	L12	1	"6643750".pn.	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB
11	BRS	L13	4	"10382872"	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB

	Time Stamp
8	2005/12/13 12:58
9	2005/12/13 13:19
10	2005/12/13 13:33
11	2005/12/13 13:33

	Type	L #	Hits	Search Text	DBs
12	BRS	L14	5	"10/382872"	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB
13	BRS	L15	5	10/096375	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB
14	BRS	L16	2	15 and 10	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB

	Time Stamp
12	2005/12/13 13:36
13	2005/12/13 13:43
14	2005/12/13 13:43